

2004 Water Quality Assessment (Final) - Category 5 Listings for WRIA 8

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information				Parameter	Remarks	Medium
8	12687	5	N	BEAR CREEK King County unpublished data from station C484 (Bear Creek RM 2.5) show excursions beyond the dissolved oxygen criterion in 1998, 1999, 2000, 2001 and 2002.	BA64JJ	0	25N	06E	06	Dissolved oxygen	Water
8	42087	5	N	BEAR CREEK City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 21 (Bear Creek Upstream of Redmond Way Outfall) shows 3 excursions beyond the criterion from samples collected on the following dates: 5/14/1996, 7/8/1997, 7/14/1998.	NC11TV	0	25N	05E	12	Dissolved oxygen	Water
8	42094	5	N	BEAR CREEK City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 36 (Avondale @ 104th) shows 8 excursions beyond the criterion from samples collected on the following dates: 6/28/2001, 10/4/2001, 7/11/2002, 10/30/2002, 12/19/2002, 6/23/2003, 9/30/2003, 12/29/2003.	EW54VY	1.825	26N	06E	31	Dissolved oxygen	Water
8	13133	5	N	BEAR CREEK King County unpublished data from station 484 (Bear Creek RM 1.0) show standards were not met each year in samples collected between 1998 and 2002.	WR69YU	0.375	25N	05E	12	Fecal Coliform	Water
8	13144	5	N	BEAR CREEK King County unpublished data from station C484 (Bear Creek RM 2.5) show standards were not met each year in samples collected between 1998 and 2002.	BA64JJ	0	25N	06E	06	Fecal Coliform	Water
8	13146	5	N	BEAR CREEK King County unpublished data from station J484 (Bear Creek RM 5.5) show standards were not met each year in samples collected between 1998 and 2002.	EW54VY	3.891	26N	06E	30	Fecal Coliform	Water
8	42096	5	N	BEAR CREEK City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 36 (Avondale @ 104th) shows quarterly samples exceeded the percentile criterion in years 2001, and 2003.	EW54VY	1.825	26N	06E	31	Fecal Coliform	Water
8	4804	5	N	BEAR CREEK King County unpublished data from station 484 (Bear Creek RM 1.0) show temperature criterion was exceeded in all years between 1998 and 2002.	WR69YU	0.375	25N	05E	12	Temperature	Water
8	4811	5	N	BEAR CREEK King County unpublished data from station C484 (Bear Creek RM 2.5) show temperature criterion was exceeded in all years between 1998 and 2002.	BA64JJ	0	25N	06E	06	Temperature	Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	4813	5	N	BEAR CREEK	EW54VY	3.891	26N	06E	30	Temperature		Water
King County unpublished data from station J484 (Bear Creek RM 5.5) show temperature criterion was exceeded in all years between 1998 and 2002.												
8	42095	5	N	BEAR CREEK	EW54VY	1.825	26N	06E	31	Temperature		Water
City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 36 (Avondale @ 104th) shows 3 excursions beyond the criterion from samples collected on the following dates: 6/28/2001, 7/11/2002, 9/30/2003.												
8	12153	5	N	BOREN LAKE	693QOY		24N	05E	28	Fecal Coliform		Water
King County unpublished data from station A740 show a geometric mean of 52 cfu/100mL with 0% exceeding the percentile criterion during 1999.												
King County unpublished data from station A740 show a geometric mean of 12 cfu/100mL with 0% exceeding the percentile criterion during 1998.												
8	42142	5	N	BRIDLECREST CREEK	WN82RB	0.134	25N	05E	14	Fecal Coliform		Water
City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 28 (Bridlecrest Stream) shows quarterly samples exceeded the percentile criterion in years 2002, and 2003.												

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	12557	5	N	CEDAR RIVER Hallock (2004), Dept. of Ecology ambient station 08C070 shows 1 of 4 samples (25%) in year 2001 exceeded the percentile criterion and 1 of 12 samples (8.3%) in year 2003 exceeded the percentile criterion. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08C070 (Cedar R. at Logan St. Bridge) shows a geometric mean of 47 does not exceed the criterion and that 20% of the samples exceeds the percentile criterion from 10 samples collected during 2001. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08C070 (Cedar R. at Logan St. Bridge) shows a geometric mean of 34 does not exceed the criterion and that 0% of the samples does not exceed the percentile criterion from 12 samples collected during 2000. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08C070 (Cedar R. at Logan St. Bridge) shows a geometric mean of 39 does not exceed the criterion and that 12% of the samples exceeds the percentile criterion from 16 samples collected during 1999. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08C070 (Cedar R. at Logan St. Bridge) shows a geometric mean of 28 does not exceed the criterion and that 0% of the samples does not exceed the percentile criterion from 12 samples collected during 1998. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08C070 (Cedar R. at Logan St. Bridge) shows a geometric mean of 79 does not exceed the criterion and that 8% of the samples does not exceed the percentile criterion from 12 samples collected during 1997. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08C070 (Cedar R. at Logan St. Bridge) shows a geometric mean of 86 does not exceed the criterion and that 33% of the samples exceeds the percentile criterion from 6 samples collected during 1996. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08C070 (Cedar R. at Logan St. Bridge) shows a geometric mean of 32 does not exceed the criterion and that 9% of the samples does not exceed the percentile criterion from 11 samples collected during 1995. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08C070 (Cedar R. at Logan St. Bridge) shows a geometric mean of 60 does not exceed the criterion and that 9% of the samples does not exceed the percentile criterion from 11 samples collected during 1994. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08C070 (Cedar R. at Logan St. Bridge) shows a geometric mean of 48 does not exceed the criterion and that 8% of the samples does not exceed the percentile criterion from 12 samples collected during 1993.	JG09GH	1.866	23N	05E	18	Fecal Coliform		Water
8	13136	5	Y	CEDAR RIVER King County unpublished data from station A438 (Cedar River RM 9.5) show standards were not met each year in samples collected in 1999, 2001, and 2002	JG09GH	15.415	23N	06E	29	Fecal Coliform		Water
8	13149	5	N	CEDAR RIVER King County unpublished data from station X438 (Cedar River RM 0.2) show standards were not met each year in samples collected between 1998 and 2002.	JG09GH	0.467	23N	05E	07	Fecal Coliform		Water
8	4816	5	N	CEDAR RIVER King County unpublished data from station X438 (Cedar River RM 0.2) show temperature criterion was exceeded in all years between 1998 and 2002.	JG09GH	0.467	23N	05E	07	Temperature		Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information				Parameter	Remarks	Medium
8	6573	5	N	CEDAR RIVER Dept. of Ecology unpublished data from core ambient monitoring station 08C070 (Cedar R. at Logan St. Bridge) shows a 7-day mean of daily maximum values of 19.1 for mid-week 11 August 2001.; Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08C070 (CEDAR RIVER AT LOGAN ST/RENTON) shows 1 excursions beyond the criterion out of 62 samples collected between 1993 - 2001	JG09GH	1.866	23N	05E	18	Temperature	Water
8	13125	5	Y	COAL CREEK King County unpublished data from station 442 (Coal Creek RM 0.8) show standards were not met each year in samples collected between 1998 and 2002.	CH04NG	1.299	24N	05E	16	Fecal Coliform	Water
8	12688	5	N	COTTAGE LAKE CREEK King County unpublished data from station N484 (Cottage Lake Creek RM 2.0) show excursions beyond the dissolved oxygen criterion in 1998, 1999, 2000, and 2002.	NO74JS	3.102	26N	06E	18	Dissolved oxygen	Water
8	13147	5	N	COTTAGE LAKE CREEK King County unpublished data from station N484 (Cottage Lake Creek RM 2.0) show standards were not met each year in samples collected between 1998 and 2002.	NO74JS	3.102	26N	06E	18	Fecal Coliform	Water
8	4814	5	N	COTTAGE LAKE CREEK King County unpublished data from station N484 (Cottage Lake Creek RM 2.0) show temperature criterion was exceeded in all years between 1998 and 2002.	NO74JS	3.102	26N	06E	18	Temperature	Water
8	36163	5	N	DERBY CREEK City of Woodinville unpublished data show the geometric mean of 13 cfu/100mL from 2 samples collected in 2000 at 148th Ave NE. City of Woodinville unpublished data show the geometric mean of 137 cfu/100mL from 9 samples collected in 2001 at 148th Ave NE. City of Woodinville unpublished data show the geometric mean of 350 cfu/100mL from 1 samples collected in 2002 at 148th Ave NE.	QK82BO	0	26N	05E	15	Fecal Coliform	Water
8	6332	5	N	DESIRE LAKE O'Neal et al. (2001) concludes that designated uses are being supported. King County Volunteer Citizen Monitoring Program unpublished data show show summer mean epilimnetic total phosphorus exceeded the water quality standards nutrient criterion in 1998, 1999, 2000, and 2001 from samples collected between 1998-2002. Completed Phase I State Clean Lakes Restoration Project : KCSWMD and KCM, 1994; KCSWMD and KCM, 1995 , Trophic state is eutrophic. Average summer epilimnetic phosphorus was 30 ug/l and chlorophyll levels were 15 ug/l. Sumioka and Dion (1985) show a summer epilimnetic total phosphorus concentration of 17 ug/L derived from the reported Carlson's Trophic State Index value which does not exceed the water quality standards nutrient criterion for the Puget Lowlands Ecoregion.	144YNF	23N	05E	36	Total Phosphorus	King County Surface Water Management is implementing using state grant funds) the restoration plan recommended from the Phase I project. External sources of phosphorus be controlled through 7 recommended watershed measures including forest retention, wetland restoration, shoreline wetland revegetation, storm water treatment, ditch maintenance, homeowner applied BMPs, and sewerage. In-lake recycling will be controlled through an alum treatment.	Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	13140	5	N	EBRIGHT CREEK King County unpublished data from station A685 (Ebright Creek - WDF# 08.0149 at RM 0.1) show standards were not met each year in samples collected in 1998, 2000, 2001 and 2002. Name administratively changed from Eden (Eton) Creek to Ebright Creek. 10/05/04 -kk	UI56TQ	0.647	25N	06E	32	Fecal Coliform		Water
8	12156	5	N	ECHO LAKE King County unpublished data from station A706 show a geometric mean of 600 cfu/100mL with 100% exceeding the percentile criterion during 1998. King County unpublished data from station A706 show a geometric mean of 510 cfu/100mL with 100% exceeding the percentile criterion during 1999.	638BJE		26N	04E	06	Fecal Coliform		Water
8	13141	5	Y	EDEN (ETON) CREEK King County unpublished data from station A690 (Eden Creek - WDF# 08.0144 at RM 0.1) show standards were not met each year in samples collected in 2002.	FN75VG	0.288	25N	06E	32	Fecal Coliform		Water
8	42492	5	N	ELLIOTT BAY King County data (submitted by Kimberle Stark on 4/15/04) station KSYV02 (Magnolia) shows 2 of 3 samples (66.7%) exceeded the percentile criterion in year 2002; and 3 of 12 samples (25.0%) exceeded the percentile criterion in year 2003.	390KRD		47122G3D9		47.635	122.395	Fecal Coliform	Water
8	42496	5	N	ELLIOTT BAY King County data (submitted by Kimberle Stark on 4/15/04) station LTEH02 (inner Elliott Bay) shows a geometric mean of 16.42 exceeded the criterion and 2 of 12 samples (16.7%) exceeded the percentile criterion in year 2003.	390KRD		47122G3A3		47.605	122.335	Fecal Coliform	Water
8	12685	5	N	EVANS CREEK King County unpublished data from station B484 (Evans Creek RM 0.8) show excursions beyond the dissolved oxygen criterion in 1998, 1999, 2000, 2001 and 2002.	MI67EG	0.494	25N	06E	06	Dissolved oxygen		Water
8	12689	5	N	EVANS CREEK King County unpublished data from station S484 (Evans Creek RM 2.2) show excursions beyond the dissolved oxygen criterion in 1998, 1999, 2000, 2001 and 2002.	MI67EG	4.093	25N	06E	18	Dissolved oxygen		Water
8	13142	5	N	EVANS CREEK King County unpublished data from station B484 (Evans Creek RM 0.8) show standards were not met each year in samples collected in 1998, 2000, 2001 and 2002.	MI67EG	0.494	25N	06E	06	Fecal Coliform		Water
8	13148	5	N	EVANS CREEK King County unpublished data from station S484 (Evans Creek RM 2.2) show standards were not met each year in samples collected in 1998.	MI67EG	4.093	25N	06E	18	Fecal Coliform		Water
8	4809	5	N	EVANS CREEK King County unpublished data from station B484 (Evans Creek RM 0.8) show temperature criterion was exceeded in all years between 1998 and 2002.	MI67EG	0.494	25N	06E	06	Temperature		Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information				Parameter	Medium	Remarks
8	15772	5	N	FAIRWEATHER BAY CREEK King County unpublished data from station 498 (Fairweather Bay Tributary WDF# 08.0257 RM 0.1) show excursions beyond the criterion in 1987, 1988, 1989, and 1990.	DG67DF	0	25N	04E	99	Dissolved oxygen	Water
8	15773	5	Y	FAIRWEATHER BAY CREEK King County unpublished data from station 498 (Fairweather Bay Tributary WDF# 08.0257 RM 0.1) exceeded the geometric mean criterion in 1987, 1988, 1989, and 1990.	DG67DF	0	25N	04E	99	Fecal Coliform	Water Was listed as TRS 25N-04E-24 for 1998 list. -kk
8	15775	5	Y	FAIRWEATHER BAY CREEK King County unpublished data from station 498 (Fairweather Bay Tributary WDF# 08.0257 RM 0.1) exceeded the criterion in 1987, 1988, 1989, and 1990.	DG67DF	0	25N	04E	99	Temperature	Water Was listed as TRS 25N-04E-24 for 1998 list. -kk
8	12677	5	N	FORBES CREEK King County unpublished data from station 456 (Forbes Creek RM 0.2) show excursions beyond the dissolved oxygen criterion in years 1998, 2000, 2001 and 2002.	BG76BX	0.799	26N	05E	31	Dissolved oxygen	Water
8	13129	5	Y	FORBES CREEK King County unpublished data from station 456 (Forbes Creek RM 0.2) show standards were not met each year in samples collected between 1998 and 2002.	BG76BX	0.799	26N	05E	31	Fecal Coliform	Water
8	7029	5	N	FORBES CREEK King County unpublished data from station 456 (Forbes Creek RM 0.2) show temperature criterion was exceeded in all years between 1998 and 2002.	BG76BX	0.799	26N	05E	31	Temperature	Water
8	17381	5	N	GREEN LAKE Seiders, 2002. show the National Toxics Rule criterion was exceeded in fillet samples of Common carp collected in 2001.	670DAB	25N	04E	05		4,4'-DDE	Tissue
8	17378	5	N	GREEN LAKE Seiders, 2002. show the National Toxics Rule criterion was exceeded in in fillet samples of Common carp collected in 2001.	670DAB	25N	04E	05		Chlordane	Tissue
8	12157	5	N	GREEN LAKE King County unpublished data from station A734SB show a geometric mean of 43 cfu/100mL with 20% exceeding the percentile criterion during 1998. King County unpublished data from station A734SB show a geometric mean of 40 cfu/100mL with 24% exceeding the percentile criterion during 1999. King County unpublished data from station A734SB show a geometric mean of 28 cfu/100mL with 10% exceeding the percentile criterion during 2000. King County unpublished data from station A734SB show a geometric mean of 27 cfu/100mL with 10% exceeding the percentile criterion during 2001. King County unpublished data from station A734SB show a geometric mean of 51 cfu/100mL with 39% exceeding the percentile criterion during 2002.	670DAB	25N	04E	05		Fecal Coliform	Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Medium
Remarks											
Project underway	8	17383	5	N	GREEN LAKE	670DAB	25N	04E	05	Total PCBs	Tissue
	Seiders, 2002. show the National Toxics Rule criterion was exceeded in in fillet samples of Common carp collected in 2001.										
	8	6339	5	Y	GREEN LAKE	670DAB	25N	04E	05	Total Phosphorus	Water
	Completed Phase I Federal Clean Lakes Restoration Project in 1983. Problems Encountered: Blue-green algae, low transparency, sediment phosphorus									Completed Phase II Federal Clean Lakes Restoration	
	recycling, aquatic macrophytes, storm water.									in 1995: URS Consultants, 1990. Control measures	
										based on the Phase I study -phosphorus precipitation/inactivation, dilution/flushing, watershed nutrient management (ordinances, sediment reductions, passive nutrient attenuation), aquatic macrophyte harvesting, structural storm water controls, public education.	
8	42128	5	N	IDYLWOOD CREEK	BI22AX	0.235	25N	05E	24	Dissolved oxygen	Water
City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 24 (Idylwood Creek @ W Lk Samm) shows multiple excursions beyond the criterion for continuous monitoring data collected between 8/2001 - 4/2002.											
8	42130	5	N	IDYLWOOD CREEK	BI22AX	0.235	25N	05E	24	Fecal Coliform	Water
City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 24 (Idylwood Creek @ W Lk Samm) shows quarterly samples exceeded the percentile criterion in years 2001, 2002, and 2003.											
8	15785	5	N	ISSAQUAH CREEK	TF31OB	4.051	24N	06E	28	Dissolved oxygen	Water
King County unpublished data from station A632 (Issaquah Creek RM 3.0) show excursions beyond the criterion in 1991, 1992, 1993, 1995, and 1996.											
8	12675	5	N	JUANITA CREEK	WA69TP	2.528	26N	05E	30	Dissolved oxygen	Water
King County unpublished data from station 446 (Junaita Creek RM 0.1) show excursions beyond the dissolved oxygen criterion in 1998, 1999, 2000, 2001 and 2002.											
U.S.Geological Survey data from NWIS database station 12120490 (Juanita Cr at Juanita) shows 1 excursions beyond the criterion out of 1 samples collected between 01/93 - 10/00.											
8	12686	5	N	JUANITA CREEK	WA69TP	4.783	26N	05E	20	Dissolved oxygen	Water
King County unpublished data from station C446 (Juanita Creek RM 1.3) show excursions beyond the dissolved oxygen criterion in 1998, 1999 and 2002.											
8	13127	5	Y	JUANITA CREEK	WA69TP	2.528	26N	05E	30	Fecal Coliform	Water
King County unpublished data from station 446 (Junaita Creek RM 0.1) show standards were not met each year in samples collected between 1998 and 2002.											

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	13143	5	Y	JUANITA CREEK	WA69TP	4.783	26N	05E	20	Fecal Coliform		Water
King County unpublished data from station C446 (Juanita Creek RM 1.3) show standards were not met each year in samples collected between 1998 and 2002.												
U.S.Geological Survey data from NWIS database station 12120480 (Juanita Cr at NE 132nd st nr kirkland) shows a geometric mean of 780 exceeds the criterion and that 100% of the samples exceeds the percentile criterion from 1 samples collected during 1998.												
8	4810	5	N	JUANITA CREEK	WA69TP	4.783	26N	05E	20	Temperature		Water
King County unpublished data from station C446 (Juanita Creek RM 1.3) show temperature criterion was exceeded in all years between 1998 and 2002.												
U.S.Geological Survey data from NWIS database station 12120480 (Juanita Cr at NE 132nd st nr kirkland) shows 1 excursions beyond the criterion out of 6 samples collected between 01/93 - 10/00.												
8	7027	5	N	JUANITA CREEK	WA69TP	2.528	26N	05E	30	Temperature		Water
King County unpublished data from station 446 (Junaita Creek RM 0.1) show temperature criterion was exceeded in all years between 1998 and 2002.												
U.S.Geological Survey data from NWIS database station 12120490 (Juanita Cr at Juanita) shows 1 excursions beyond the criterion out of 1 samples collected between 01/93 - 10/00.												
8	12674	5	N	KELSEY CREEK	CK50FE	7.893	25N	05E	33	Dissolved oxygen		Water
King County unpublished data from station 444 (Kelsey Creek RM 2.1) show excursions beyond the dissolved oxygen criterion in all years between 1998 and 2002.												
8	13126	5	Y	KELSEY CREEK	CK50FE	7.893	25N	05E	33	Fecal Coliform		Water
King County unpublished data from station 444 (Kelsey Creek RM 2.1) show standards were not met each year in samples collected between 1998 and 2002.												
8	7026	5	N	KELSEY CREEK	CK50FE	7.893	25N	05E	33	Temperature		Water
King County unpublished data from station 444 (Kelsey Creek RM 2.1) show temperature criterion was exceeded in all years between 1998 and 2002.												
8	15755	5	Y	LAUGHING JACOB'S CREEK	AM27GW	12.59	24N	06E	16	Fecal Coliform		Water
Hallock (2004), Dept. of Ecology ambient station 08L070 shows 2 of 3 samples (66.7%) in year 2003 exceeded the percentile criterion.												
Seattle-Metro unpublished data from station A670 (Near Mouth) exceeded the geometric mean criterion in 1987.												
8	12682	5	N	LEWIS CREEK	AP28OD	0.644	24N	06E	18	Dissolved oxygen		Water
King County unpublished data from station A617 (Lewis Creek WDF# 08.0162 at RM 0.1) show excursions beyond the dissolved oxygen criterion in 1998, 1999, WASWIS and Lower Route Address changed from SY87QV												
2000, 2001 and 2002.												
0.000 to AP28OD - 0.644 on 5/6/05. -kk												

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Medium	Remarks
8	13137	5	Y	LEWIS CREEK King County unpublished data from station A617 (Lewis Creek WDF# 08.0162 at RM 0.1) show standards were not met each year in samples collected between 1998 and 2002.	AP28OD	0.644	24N	06E	18	Fecal Coliform	Water	WASWIS and Lower Route Address changed from SY87QV 0.000 to AP28OD - 0.644 on 5/6/05. -kk
8	4807	5	N	LEWIS CREEK King County unpublished data from station A617 (Lewis Creek WDF# 08.0162 at RM 0.1) show temperature criterion was exceeded in all years between 1998 and 2002. U.S.Geological Survey data from NWIS database station 12121750 (Lewis Cr at 187th ave SE nr Bellevue) shows 0 excursions beyond the criterion out of 3 samples collected between 01/93 - 10/00.	AP28OD	0.644	24N	06E	18	Temperature	Water	WASWIS and Lower Route Address changed from SY87QV 0.000 to AP28OD - 0.644 on 5/6/05. -kk
8	12680	5	N	LITTLE BEAR CREEK King County unpublished data from station 478 (Little Bear Creek RM 0.2) show excursions beyond the dissolved oxygen criterion in 1998, 1999, 2000, 2001 and 2002. Snohomish County unpublished data from station LBCC (at Hwy 202) show excursions beyond the criterion from measurements collected in 2001.	UT96KR	0	26N	05E	09	Dissolved oxygen	Water	
8	13122	5	Y	LYON CREEK King County unpublished data from station 430 (Lyon Creek RM 0.2) show standards were not met each year in samples collected between 1998 and 2002. U.S.Geological Survey data from NWIS database station 12127290 (Lyon Cr at NE178th @ Lake Forest Park) shows a geometric mean of 450 exceeds the criterion and that 100% of the samples exceeds the percentile criterion from 1 samples collected during 1998.	AS70QO	0.49	26N	04E	10	Fecal Coliform	Water	
8	6402	5	N	MAPLE LEAF CREEK Hallock (2004), Dept. of Ecology ambient station 08M070 shows 2 of 2 samples (100%) in year 2003 exceeded the percentile criterion. U.S.Geological Survey data from NWIS database station 12127800 (SF Thornton Cr at 30th Ave NE nr Seattle) shows a geometric mean of 650 exceeds the criterion and that 100% of the samples exceeds the percentile criterion from 1 samples collected during 1998.	KK99GK	0.07	26N	04E	28	Fecal Coliform	Water	Changed from Category 2 to Category 5 on 01/25/05 due to consolidation with Listing ID 42541 (cat 5). Name changed from THORNTON CREEK to MAPLE LEAF CREEK. -kk
8	42145	5	N	MARYMOOR CREEK City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 29 (Marymoor Stream) shows quarterly samples exceeded the percentile criterion in years 2001, 2002, and 2003.	UNK000	0	25N	05E	11	Fecal Coliform	Water	
8	13124	5	Y	MAY CREEK King County unpublished data from station 440 (May Creek RM 0.2) show standards were not met each year in samples collected between 1998 and 2002.	BH96KG	2.207	24N	05E	32	Fecal Coliform	Water	

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	15764	5	Y	MAY CREEK King County Surface Water Management (1995) shows 2 excursions beyond the criterion at the station a 164th Ave SE on 7/8/94 and 7/29/94; Two excursions beyond the criterion collected by King County Surface Water Management at the station a 164th Ave SE on 7/8/94 and 7/29/94.	BH96KG	0	24N	05E	99	Temperature	Was TRS 23N-05E-04 on the 1998 list. -kk	Water
	12681	5	N	MCALEER CREEK King County unpublished data from station A432 (McAleer Creek RM 0.1) show excursions beyond the dissolved oxygen criterion in 1998, 1999, 2000, 2001 and 2002.	CF07LH	0.569	26N	04E	10	Dissolved oxygen		Water
	13135	5	Y	MCALEER CREEK King County unpublished data from station A432 (McAleer Creek RM 0.1) show standards were not met each year in samples collected between 1998 and 2002.	CF07LH	0.569	26N	04E	10	Fecal Coliform		Water
	13145	5	Y	MERCER SLOUGH King County unpublished data from station D444 (West Branch Kelsey Creek WDF# 08.0264 at RM 0.1) show standards were not met each year in samples collected between 1998 and 2002.	CK50FE	4.499	24N	05E	08	Fecal Coliform	Name changed from KELSEY CREEK to MERCER on 3/2/05. -kk	Water
	40609	5	Y	MERCER SLOUGH 54 excursions beyond the criterion at Seattle-Metro station A444 between 7/1/87 and 7/1/91.	DE87MT	0	24N	05E	05	Fecal Coliform		Water
8	4812	5	N	MERCER SLOUGH King County unpublished data from station D444 (West Branch Kelsey Creek WDF# 08.0264 at RM 0.1) show temperature criterion was exceeded in all years between 1998 and 2002.	CK50FE	4.499	24N	05E	08	Temperature	Name changed from KELSEY CREEK to MERCER on 3/2/05. -kk	Water
8	15767	5	Y	MULLEN SLOUGH King County, 1993, 9 excursions beyond the upper criterion at station 407 (Mullen Slough RM 0.5) during 1992 and 1993.	BP27QP	0	22N	04E	23	Fecal Coliform	Fecal coliform data were previously submitted only in hardcopy form. The water segment is listed as Category 5 based on the 1998 assessment.	Water
8	7450	5	Y	NORMA CREEK Thornburgh, 1996. , 51% of samples collected between 1992 -1995 show excursions beyond the upper criteria at station PSLU; Thornburgh, 1996. , 25% of samples collected between 1992 -1995 show excursions beyond the upper criteria at station PSDL.	YI62JI	0.003	28N	04E	32	Fecal Coliform		Water
8	7031	5	N	NORTH CREEK King County unpublished data from station 474 (North Creek RM 0.1) show temperature criterion was exceeded in all years between 1998 and 2002.	SM74QQ	0	26N	05E	08	Temperature		Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
Federal	8	42080	5	N	PETERS CREEK	ZA21LY	0.123	26N	05E	34	Dissolved oxygen	Water
					City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 7 (Peters Creek Outfall) shows multiple excursions beyond the criterion for continuous monitoring data collected between 8/2001 - 11/2002.							
	8	42082	5	N	PETERS CREEK	ZA21LY	0.123	26N	05E	34	Fecal Coliform	Water
					City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 7 (Peters Creek Outfall) shows quarterly samples exceeded the percentile criterion in years 2001, 2002, and 2003.							
	8	42093	5	N	PETERS CREEK	ZN74FV	0.005	25N	05E	03	Fecal Coliform	Water
					City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 32 (Peters Creek @ 87th ST) shows quarterly samples exceeded the percentile criterion in years 2001, 2002, and 2003.							
	8	42081	5	N	PETERS CREEK	ZA21LY	0.123	26N	05E	34	Temperature	Water
					City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 7 (Peters Creek Outfall) shows multiple excursions beyond the criterion for continuous monitoring data collected between 6/1996 - 9/2002.							
	8	12160	5	N	PINE LAKE	193QBT	00U	XXU	00		Fecal Coliform	Water
					Department of Ecology lakes monitoring data shows 1 of 3 (33.3%) daily maximum samples (collected 7/21/2003,8/18/2003, 9/29/2003) exceeded the percentile criterion in 2003. Samples were collected near Pine Lake Park recreation area and reflects water quality conditions in this area only.							
					King County unpublished data from station A708 show a geometric mean of 69 cfu/100mL with 43% exceeding the percentile criterion during 1998. King County unpublished data from station A708 show a geometric mean of 66 cfu/100mL with 0% exceeding the percentile criterion during 1999.							
					King County unpublished data from station E708SB show a geometric mean of 77 cfu/100mL with 41% exceeding the percentile criterion during 2001. King County unpublished data from station E708SB show a geometric mean of 21 cfu/100mL with 22% exceeding the percentile criterion during 2002.							
	8	6364	5	N	PINE LAKE	LH94AN	4.236	24N	06E	09	Total Phosphorus	Water
					Welch, 2002. concludes that summer epilimnetic total phosphorus concentrations have remained the same since the implementation of Phase II controls (i.e.,						Completed Federal Clean Lakes Restoration Project in 1982	
					diversion). The values reported exceed the water quality standards action value. Hypolimnetic total phosphorus has increased. Storm water total phosphorus loading has increased 4 fold in a 13-year period due to a 56% increase in watershed development.						Problems Encountered: Blue-green algae, turbidity, low dissolved oxygen, tributary nutrient inputs, low transparency, sediment phosphorus recycling. Completed Phase II	
											Clean Lakes Restoration Project in 1991: Anderson and Welch, 1991. Control measures implemented based on the Phase I Study - Diversion, watershed nutrient management (septic system management), public education.	
	8	12684	5	N	PINE LAKE CREEK	LH94AN	0.634	25N	06E	31	Dissolved oxygen	Water
					King County unpublished data from station A680 (Pine Lake Creek RM 0.1) show excursions beyond the dissolved oxygen criterion in 1998, 1999, 2000, and 2002.							

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	13139	5	Y	PINE LAKE CREEK King County unpublished data from station A680 (Pine Lake Creek RM 0.1) show standards were not met each year in samples collected between 1998 and 2002.	LH94AN	0.634	25N	06E	31	Fecal Coliform		Water
8	42477	5	N	PUGET SOUND King County data (submitted by Kimberle Stark on 4/15/04) station ITBRACKETT (Brackett's Landing) shows 3 samples exceeded the criterion on 10/28/02, 11/20/02, and 12/17/02.	390KRD	47122I3B8	47.815	122.385		Ammonia-N		Water
8	42487	5	N	PUGET SOUND King County data (submitted by Kimberle Stark on 4/15/04) station ITBRACKETT (Brackett's Landing) shows 2 of 10 samples (20.0%) exceeded the percentile criterion in year 2002.	390KRD	47122I3B8	47.815	122.385		Fecal Coliform		Water
8	42488	5	N	PUGET SOUND King County data (submitted by Kimberle Stark on 4/15/04) station ITEDWARDSPT (Edwards Point) shows 3 of 10 samples (30.0%) exceeded the percentile criterion in year 2003.	390KRD	47122I3A9	47.805	122.395		Fecal Coliform		Water
8	42475	5	N	PUGET SOUND (CENTRAL) King County data (submitted by Kimberle Stark on 4/15/04) station JSVW04 (Richmond Beach) shows 2 samples exceeded the criterion on 10/28/02 and 11/20/02.	390KRD	47122H3H9	47.775	122.395		Ammonia-N		Water
8	7336	5	N	PUGET SOUND (CENTRAL) Crecelius, et al. 1989 , excursions beyond the criterion in edible fish tissue.	390KRD	47122G4H1	47.675	122.415		Dieldrin		Tissue
8	42489	5	N	PUGET SOUND (CENTRAL) King County data (submitted by Kimberle Stark on 4/15/04) station JSVW04 (Richmond Beach) shows 2 of 12 samples (16.7%) exceeded the percentile criterion in year 2003.	390KRD	47122H3H9	47.775	122.395		Fecal Coliform		Water
8	42491	5	N	PUGET SOUND (CENTRAL) King County data (submitted by Kimberle Stark on 4/15/04) station KSQU01 (Shilshole Bay) shows a geometric mean of 24.36 exceeded the criterion in year 2003; 3 of 3 samples (100.0%) exceeded the percentile criterion in year 2002, and 4 of 12 samples (66.6%) exceeded the percentile criterion in year 2003.	390KRD	47122G4H0	47.675	122.405		Fecal Coliform		Water
8	11949	5	N	SAMMAMISH LAKE King County unpublished data from station 612 show 20 excursions beyond the criterion out of 52 samples collected between 1998 and 2002.	143MLR	47122F0J9	47.595	122.095		Ammonia-N		Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	12676	5	Y	SAMMAMISH RIVER King County unpublished data from station 450 (Sammamish RM 0.1) show excursions beyond the dissolved oxygen criterion in all years between 1998 and 2002. Was TRS 26N-05E-08 on 1998 list. -kk	CA16HI	1.006	26N	04E	12	Dissolved oxygen		Water
8	42085	5	N	SAMMAMISH RIVER City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 19 (Sammamish River Upstream of 85th St Bridge Outfall) shows 7 excursions beyond the criterion from samples collected on the following dates: 10/18/1995, 7/8/1997, 6/15/1998, 7/14/1998, 8/12/1998, 9/2/1998, 9/2/1998,9/2/1998, 10/1/1998.	CA16HI	17.583	25N	05E	02	Dissolved oxygen		Water
8	12561	5	Y	SAMMAMISH RIVER Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08B070 (Sammamish R. at Bothell) shows a geometric mean of 95 exceeds the criterion and that 33% of the samples exceeds the percentile criterion from 9 samples collected during 1999. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08B070 (Sammamish R. at Bothell) shows a geometric mean of 49 does not exceed the criterion and that 0% of the samples does not exceed the percentile criterion from 3 samples collected during 1998. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08B070 (Sammamish R. at Bothell) shows a geometric mean of 126 exceeds the criterion and that 67% of the samples exceeds the percentile criterion from 9 samples collected during 1994. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08B070 (Sammamish R. at Bothell) shows a geometric mean of 223 exceeds the criterion and that 83% of the samples exceeds the percentile criterion from 12 samples collected during 1993.	CA16HI	5.606	26N	05E	08	Fecal Coliform	Errantly listed as part of North Creek Fecal Coliform TMDL. Returned to Category 5 on 5/12/04. -kk	Water
8	12562	5	Y	SAMMAMISH RIVER King County unpublished data from station 486 (Sammamish River RM 12.5) show standards were met in all samples collected between 1998 and 2002. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08B110 (Sammamish R. at Redmond) shows a geometric mean of 91 exceeds the criterion and that 33% of the samples exceeds the percentile criterion from 3 samples collected during 1993. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08B110 (Sammamish R. at Redmond) shows a geometric mean of 87 exceeds the criterion and that 56% of the samples exceeds the percentile criterion from 9 samples collected during 1994.	CA16HI	19.219	25N	05E	11	Fecal Coliform	Errantly listed as part of North Creek fecal Coliform TMDL. Returned to Category 5 on 5/12/04. -kk	Water
8	13128	5	Y	SAMMAMISH RIVER King County unpublished data from station 450 (Sammamish RM 0.1) show standards were not met each year in samples collected between 1998 and 2002.	CA16HI	1.006	26N	04E	12	Fecal Coliform	WASWIS was listed as ZC89FB on the 1998 list.	Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	4805	5	Y	SAMMAMISH RIVER Carey, B., (2003), station SAM-1 shows 2 samples exceeded the criterion in year 2001. Carey, B., (2003), station SAM-2 shows 2 samples exceeded the criterion in year 2001. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08B110 (Sammamish R @ Redmond) shows 4 excursions beyond the criterion out of 12 samples collected between 1993 - 2001 measured on these dates: 94/06/20, 94/07/18, 94/08/15, 94/09/19. King County unpublished data from station 486 (Sammamish River RM 12.5) show temperature criterion was exceeded in all years between 1998 and 2002.	CA16HI	19.219	25N	05E	11	Temperature		Water
8	7028	5	Y	SAMMAMISH RIVER King County unpublished data from station 450 (Sammamish RM 0.1) show temperature criterion was exceeded in all years between 1998 and 2002.	CA16HI	1.006	26N	04E	12	Temperature	Was TRS 26N-05E-08 on 1998 list. -kk	Water
8	6368	5	Y	SCRIBER LAKE Completed Phase I State Clean Lakes Restoration Project in 1987 -Problems Encountered: Blue-green algae, high turbidity, low dissolved oxygen, sediment phosphorus recycling, low transparency, aquatic macrophytes, storm water. URS Consultants, 1986.	414VNQ	27N	04E	21		Total Phosphorus	Completed Phase II State Clean Lakes Restoration Project 1995: Control measures underway based on the Phase I study -diversion, hypolimnetic aeration, structural storm controls, diversion, watershed nutrient management (ordinance development, passive nutrient attenuation), education.	Water
8	12678	5	Y	SWAMP CREEK King County unpublished data from station 470 (Swamp Creek RM 0.5) show excursions beyond the dissolved oxygen criterion in years 2000, 2001 and 2002.	GJ57UL	0	26N	04E	12	Dissolved oxygen		Water
8	40747	5	N	SWAMP CREEK Snohomish County unpublished data from station SCLU (NORTH OF 148TH ST SW ABOVE DRAINAGE COMING FROM EAST ALONG 148TH ST SW.) show excursions beyond the criterion from measurements collected 1999-2002.	GJ57UL	16.144	28N	04E	35	Dissolved oxygen		Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	7464	5	Y	SWAMP CREEK Thornburgh, 1996. 30% of samples collected between 1992 - 1995 show excursions beyond the upper criteria at station SCLU. Snohomish County unpublished data from station SCLU (NORTH OF 148TH ST SW ABOVE DRAINAGE COMING FROM EAST ALONG 148TH ST SW.) shows a geometric mean of 115 cfu/100mL with 29% of samples exceeding the percentile criterion from 7 samples collected in 1998. Snohomish County unpublished data from station SCLU (NORTH OF 148TH ST SW ABOVE DRAINAGE COMING FROM EAST ALONG 148TH ST SW.) shows a geometric mean of 236 cfu/100mL with 33% of samples exceeding the percentile criterion from 12 samples collected in 1999. Snohomish County unpublished data from station SCLU (NORTH OF 148TH ST SW ABOVE DRAINAGE COMING FROM EAST ALONG 148TH ST SW.) shows a geometric mean of 132 cfu/100mL with 22% of samples exceeding the percentile criterion from 9 samples collected in 2000. Snohomish County unpublished data from station SCLU (NORTH OF 148TH ST SW ABOVE DRAINAGE COMING FROM EAST ALONG 148TH ST SW.) shows a geometric mean of 81 cfu/100mL with 33% of samples exceeding the percentile criterion from 9 samples collected in 2001. Snohomish County unpublished data from station SCLU (NORTH OF 148TH ST SW ABOVE DRAINAGE COMING FROM EAST ALONG 148TH ST SW.) shows a geometric mean of 58 cfu/100mL with 29% of samples exceeding the percentile criterion from 7 samples collected in 2002.	GJ57UL	14.335	27N	04E	02	Fecal Coliform		Water
8	7465	5	Y	SWAMP CREEK Thornburgh, 1996. 46% of samples collected between 1992 - 1995 show excursions beyond the upper criteria at station SCLD.	GJ57UL	3.601	26N	04E	02	Fecal Coliform		Water
8	12565	5	N	SWAMP CREEK Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08J100 (Swamp Creek abv Lynnwood) shows a geometric mean of 60 exceeds the criterion and that 33% of the samples exceeds the percentile criterion from 3 samples collected during 1998. Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08J100 (Swamp Creek abv Lynnwood) shows a geometric mean of 79 exceeds the criterion and that 33% of the samples exceeds the percentile criterion from 9 samples collected during 1999.	GJ57UL	16.144	28N	04E	35	Fecal Coliform		Water
8	13130	5	N	SWAMP CREEK King County unpublished data from station 470 (Swamp Creek RM 0.5) show standards were not met each year in samples collected between 1998 and 2002.	GJ57UL	0	26N	04E	12	Fecal Coliform		Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	21989	5	N	SWAMP CREEK	GJ57UL	3.762	27N	04E	35	Fecal Coliform		Water
Snohomish County unpublished data from station SCLD (AT COUNTY LINE AT BRIDGE SOUTH OF 24225 LOCKWOOD ROAD.) shows a geometric mean of 201 cfu/100mL with 70% of samples exceeding the percentile criterion from 10 samples collected in 1998.												
Snohomish County unpublished data from station SCLD (AT COUNTY LINE AT BRIDGE SOUTH OF 24225 LOCKWOOD ROAD.) shows a geometric mean of 354 cfu/100mL with 75% of samples exceeding the percentile criterion from 12 samples collected in 1999.												
Snohomish County unpublished data from station SCLD (AT COUNTY LINE AT BRIDGE SOUTH OF 24225 LOCKWOOD ROAD.) shows a geometric mean of 119 cfu/100mL with 25% of samples exceeding the percentile criterion from 12 samples collected in 2000.												
Snohomish County unpublished data from station SCLD (AT COUNTY LINE AT BRIDGE SOUTH OF 24225 LOCKWOOD ROAD.) shows a geometric mean of 105 cfu/100mL with 42% of samples exceeding the percentile criterion from 12 samples collected in 2001.												
Snohomish County unpublished data from station SCLD (AT COUNTY LINE AT BRIDGE SOUTH OF 24225 LOCKWOOD ROAD.) shows a geometric mean of 73 cfu/100mL with 14% of samples exceeding the percentile criterion from 7 samples collected in 2002.												
8	7030	5	N	SWAMP CREEK	GJ57UL	0	26N	04E	12	Temperature		Water
King County unpublished data from station 470 (Swamp Creek RM 0.5) show temperature criterion was exceeded in all years between 1998 and 2002.												
8	12666	5	N	THORNTON CREEK	VQ98YZ	1.219	26N	04E	34	Dissolved oxygen		Water
King County unpublished data from station 434 (Thornton Creek RM 0.3) show excursions beyond the dissolved oxygen criterion in years 1998 and 1999.												
U.S.Geological Survey data from NWIS database station 12128000 (Thornton Cr nr Seattle) shows 11 excursions beyond the criterion out of 49 samples collected DURING 1996 AND 1997.												
8	13123	5	Y	THORNTON CREEK	VQ98YZ	1.219	26N	04E	34	Fecal Coliform		Water
King County unpublished data from station 434 (Thornton Creek RM 0.3) show standards were not met each year in samples collected between 1998 and 2002.												
U.S.Geological Survey data from NWIS database station 12128000 (Thornton Cr nr Seattle) shows a geometric mean of 870 exceeds the criterion and that 100% of the samples exceeds the percentile criterion from 1 samples collected during 1998.												
8	7024	5	N	THORNTON CREEK	VQ98YZ	1.219	26N	04E	34	Temperature		Water
King County unpublished data from station 434 (Thornton Creek RM 0.3) show temperature criterion was exceeded in all years between 1998 and 2002.												
U.S.Geological Survey data from NWIS database station 12128000 (Thornton Cr nr Seattle) shows 6 excursions beyond the criterion out of 53 samples collected during 1996, 1997, and 1998.												

WRIA	Listing ID	Category	98 List?	Waterbody Name	Location Information					Parameter	Remarks	Medium
				Basis								
8	12683	5	N	TIBBETTS CREEK	MB51QQ	0.781	24N	06E	20	Dissolved oxygen		Water
				King County unpublished data from station A620 (Tibbetts Creek RM 0.4) show excursions beyond the dissolved oxygen criterion in 1998, 2000, 2001 and 2002.								
8	15778	5	N	TIBBETTS CREEK	EA48LQ	0	24N	06E	29	Dissolved oxygen		Water
				King County unpublished data from station A630 (Tibbetts Creek RM 1.0) show the criterion was exceeded in 1987, 1988, 1989, and 1990.								
8	4808	5	N	TIBBETTS CREEK	MB51QQ	0.781	24N	06E	20	Temperature		Water
				King County unpublished data from station A620 (Tibbetts Creek RM 0.4) show temperature criterion was exceeded in all years between 1998 and 2002.								
8	15781	5	N	TIBBETTS CREEK	EA48LQ	0	24N	06E	29	Temperature		Water
				King County unpublished data from station A630 (Tibbetts Creek RM 1.0) show the criterion was exceeded in 1987, 1988, 1989, and 1990.between 1/91 and 4/97.								
8	11918	5	N	UNION LAKE	043HCN	25N	04E	19		Aldrin		Water
				King County unpublished data from station 527 show excursions beyond the National Toxic Rule criterion on 14 May 1998 and 25 June 1998.								
8	12172	5	N	UNION LAKE	043HCN	25N	04E	19		Fecal Coliform		Water
				King County data (submitted by Kimberle Stark), station 512 (Ship Canal above Locks) shows 3 of 3 samples (100.0%)exceeded the percentile criterion in 2002; and 4 of 12 samples (33.3%) exceeded the percentile criterion in 2003.								
				King County unpublished data from station 512 show a geometric mean of 49 cfu/100mL with 17% exceeding the percentile criterion during 2001. King County unpublished data from station 512 show a geometric mean of 46 cfu/100mL with 12% exceeding the percentile criterion during 2002.								
				King County unpublished data from station 512 show a geometric mean of 98 cfu/100mL with 50% exceeding the percentile criterion during 2000.								
				King County unpublished data from station 512 show a geometric mean of 40 cfu/100mL with 8% exceeding the percentile criterion during 1999.								
				King County unpublished data from station 512 show a geometric mean of 47 cfu/100mL with 17% exceeding the percentile criterion during 1998.								

WRIA	Listing ID	Category	98 List?	Waterbody Name	Location Information				Parameter	Remarks	Medium
				Basis							
8	12173	5	N	UNION LAKE	043HCN	25N	04E	19	Fecal Coliform		Water
King County unpublished data from station 518 show a geometric mean of 48 cfu/100mL with 25% exceeding the percentile criterion during 1998.											
King County unpublished data from station 518 show a geometric mean of 30 cfu/100mL with 0% exceeding the percentile criterion during 1999.											
King County unpublished data from station 518 show a geometric mean of 29 cfu/100mL with 0% exceeding the percentile criterion during 2000.											
King County unpublished data from station 518 show a geometric mean of 23 cfu/100mL with 0% exceeding the percentile criterion during 2001.											
King County unpublished data from station 518 show a geometric mean of 23 cfu/100mL with 12% exceeding the percentile criterion during 2002.											
Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08K090 (Ship Canal @ Freemont) shows a geometric mean of 24 does not exceed the criterion and that 0% of the samples does not exceed the percentile criterion from 3 samples collected during 1993.											
Hallock (2001) Dept. of Ecology Ambient Monitoring Station 08K090 (Ship Canal @ Freemont) shows a geometric mean of 17 does not exceed the criterion and that 0% of the samples does not exceed the percentile criterion from 9 samples collected during 1994.											
8	12175	5	N	UNION LAKE	043HCN	25N	04E	19	Fecal Coliform		Water
King County unpublished data from station 536 show a geometric mean of 31 cfu/100mL with 17% exceeding the percentile criterion during 1999. King County unpublished data from station 536 show a geometric mean of 27 cfu/100mL with 17% exceeding the percentile criterion during 2000. King County unpublished data from station 536 show a geometric mean of 23 cfu/100mL with 8% exceeding the percentile criterion during 1998. King County unpublished data from station 536 show a geometric mean of 16 cfu/100mL with 0% exceeding the percentile criterion during 2001.											
King County unpublished data from station A522 show a geometric mean of 29 cfu/100mL with 8% exceeding the percentile criterion during 1998. King County unpublished data from station A522 show a geometric mean of 21 cfu/100mL with 17% exceeding the percentile criterion during 1999. King County unpublished data from station A522 show a geometric mean of 26 cfu/100mL with 25% exceeding the percentile criterion during 2000. King County unpublished data from station A522 show a geometric mean of 20 cfu/100mL with 8% exceeding the percentile criterion during 2001. King County unpublished data from station A522 show a geometric mean of 20 cfu/100mL with 12% exceeding the percentile criterion during 2002.											
8	8066	5	N	UNION LAKE	043HCN	25N	04E	19	Lead		Water
King County unpublished data from station 527 show the chronic criterion was exceeded 7 days in samples collected in 1998 and 2000.											
8	42155	5	N	UNNAMED CREEK (116th DITCH)	YR12LU	0.004	26N	05E	27	Dissolved oxygen	Water
City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 37 (116th Ditch) shows 8 excursions beyond the criterion from samples collected on the following dates: 6/28/2001, 10/4/2001, 7/11/2002, 12/19/2002, 6/23/2003, 9/30/2003.											
8	42157	5	N	UNNAMED CREEK (116th DITCH)	YR12LU	0.004	26N	05E	27	Fecal Coliform	Water
City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 37 (116th Ditch) shows quarterly samples exceeded the percentile criterion in years 2001, and 2003.											

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	42136	5	N	UNNAMED CREEK (46th ST AT W LAKE SAMMAMISH PKWY) City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 26 (46th & W Lk Samm Pkwy) shows quarterly samples exceeded the percentile criterion in years 2001, 2002, and 2003.	MK51YF	0	25N	05E	13	Fecal Coliform		Water
8	42139	5	N	UNNAMED CREEK (5050 AT W LAKE SAMMAMISH PKWY) City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 27 (5050 @ W Lk Samm. Pkwy) shows quarterly samples exceeded the percentile criterion in years 2001, 2002, and 2003.	QV69BQ	0.711	25N	05E	14	Fecal Coliform		Water
8	42154	5	N	UNNAMED CREEK (AT AVONDALE AND 116th ST) City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 35 (Avondale @ 116th) shows quarterly samples exceeded the percentile criterion in years 2001, 2002, and 2003.	EU47RU	0	26N	06E	30	Fecal Coliform		Water
8	42116	5	N	UNNAMED CREEK (BIRDCAGE) City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 2 (Birdcage) shows quarterly samples exceeded the percentile criterion in years 2001, 2002, and 2003.	UNK000	0	25N	06E	19	Fecal Coliform		Water
8	42131	5	N	UNNAMED CREEK (OVERLAKE SEARS TRUNKLINE) City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 25 (Overlake Sears Trunk line) shows 8 excursions beyond the criterion from samples collected on the following dates: 5/10/2001, 6/26/2001, 10/2/2001, 7/10/2002, 10/29/2002, 12/18/2002, 6/23/2003, 9/29/2003.	UNK000	0	25N	05E	26	Dissolved oxygen		Water
8	42133	5	N	UNNAMED CREEK (OVERLAKE SEARS TRUNKLINE) City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 25 (Overlake Sears Trunk line) shows quarterly samples exceeded the percentile criterion in years 2001, 2002, and 2003.	UNK000	0	25N	05E	26	Fecal Coliform		Water
8	42148	5	N	UNNAMED CREEK (REDMOND 74 CREEK) City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 33 (Redmond 74 Stream) shows quarterly samples exceeded the percentile criterion in years 2001, and 2003.	AS25AG	0	26N	05E	35	Fecal Coliform		Water
8	42151	5	N	UNNAMED CREEK (REDMOND HS CREEK) City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 34 (Redmond HS Stream @ 116th) shows quarterly samples exceeded the percentile criterion in years 2001, 2002, and 2003.	MM70RV	2.187	26N	05E	25	Fecal Coliform		Water
8	42125	5	N	VILLA MARINA CREEK City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 15 (Villa Marina Stream) shows multiple excursions beyond the criterion for continuous monitoring data collected between 7/2001 - 10/2002.	TT34CE	0	25N	05E	13	Dissolved oxygen		Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	42127	5	N	VILLA MARINA CREEK City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 15 (Villa Marina Stream) shows quarterly samples exceeded the percentile criterion in years 2001, 2002, and 2003.	TT34CE	0	25N	05E	13	Fecal Coliform		Water
8	42126	5	N	VILLA MARINA CREEK City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 15 (Villa Marina Stream) shows multiple excursions beyond the criterion for continuous monitoring data collected between 7/2001 - 11/2002.	TT34CE	0	25N	05E	13	Temperature		Water
8	11966	5	N	WASHINGTON LAKE King County unpublished data from station 826 show 8 excursions beyond the criterion out of 51 samples collected between 1998 and 2002.	213HVK	47122G2I3	47.685		122.235	Ammonia-N		Water
8	11968	5	N	WASHINGTON LAKE King County unpublished data from station 831 show 9 excursions beyond the criterion out of 49 samples collected between 1998 and 2002.	213HVK	47122F2B1	47.515		122.215	Ammonia-N		Water
8	12182	5	Y	WASHINGTON LAKE King County unpublished data from station 0806SB show a geometric mean of 119 cfu/100mL with 49% exceeding the percentile criterion during 1998. King County unpublished data from station 0806SB show a geometric mean of 254 cfu/100mL with 76% exceeding the percentile criterion during 1999. King County unpublished data from station 0806SB show a geometric mean of 100 cfu/100mL with 43% exceeding the percentile criterion during 2000. King County unpublished data from station 0806SB show a geometric mean of 141 cfu/100mL with 56% exceeding the percentile criterion during 2001. King County unpublished data from station 0806SB show a geometric mean of 134 cfu/100mL with 56% exceeding the percentile criterion during 2002.	213HVK	47122H2A1	47.705		122.215	Fecal Coliform		Water
8	12184	5	Y	WASHINGTON LAKE King County unpublished data from station 0813SB show a geometric mean of 18 cfu/100mL with 16% exceeding the percentile criterion during 2000. King County unpublished data from station 0813SB show a geometric mean of 26 cfu/100mL with 10% exceeding the percentile criterion during 1998. King County unpublished data from station 0813SB show a geometric mean of 17 cfu/100mL with 5% exceeding the percentile criterion during 1999. King County unpublished data from station 0813SB show a geometric mean of 12 cfu/100mL with 0% exceeding the percentile criterion during 2001. King County unpublished data from station 0813SB show a geometric mean of 9 cfu/100mL with 0% exceeding the percentile criterion during 2002.	213HVK	47122F2F5	47.555		122.255	Fecal Coliform		Water
8	12187	5	Y	WASHINGTON LAKE King County unpublished data from station 0818SB show a geometric mean of 230 cfu/100mL with 55% exceeding the percentile criterion during 1998. King County unpublished data from station 0818SB show a geometric mean of 93 cfu/100mL with 42% exceeding the percentile criterion during 1999. King County unpublished data from station 0818SB show a geometric mean of 59 cfu/100mL with 25% exceeding the percentile criterion during 2000. King County unpublished data from station 0818SB show a geometric mean of 114 cfu/100mL with 47% exceeding the percentile criterion during 2001. King County unpublished data from station 0818SB show a geometric mean of 98 cfu/100mL with 50% exceeding the percentile criterion during 2002.	213HVK	47122G2J7	47.695		122.275	Fecal Coliform		Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information				Parameter	Remarks	Medium
8	12188	5	N	WASHINGTON LAKE King County unpublished data from station 0820SB show a geometric mean of 67 cfu/100mL with 47% exceeding the percentile criterion during 1998. King County unpublished data from station 0820SB show a geometric mean of 28 cfu/100mL with 20% exceeding the percentile criterion during 1999. King County unpublished data from station 0820SB show a geometric mean of 18 cfu/100mL with 5% exceeding the percentile criterion during 2000. King County unpublished data from station 0820SB show a geometric mean of 22 cfu/100mL with 14% exceeding the percentile criterion during 2001. King County unpublished data from station 0820SB show a geometric mean of 18 cfu/100mL with 17% exceeding the percentile criterion during 2002.	213HVK	47122F2I8	47.585	122.285	Fecal Coliform		Water
8	12189	5	N	WASHINGTON LAKE King County unpublished data from station 0825SB show a geometric mean of 17 cfu/100mL with 25% exceeding the percentile criterion during 1998. King County unpublished data from station 0825SB show a geometric mean of 13 cfu/100mL with 10% exceeding the percentile criterion during 1999. King County unpublished data from station 0825SB show a geometric mean of 20 cfu/100mL with 0% exceeding the percentile criterion during 2000. King County unpublished data from station 0825SB show a geometric mean of 32 cfu/100mL with 20% exceeding the percentile criterion during 2001. King County unpublished data from station 0825SB show a geometric mean of 20 cfu/100mL with 10% exceeding the percentile criterion during 2002.	213HVK	47122G2F1	47.655	122.215	Fecal Coliform		Water
8	12191	5	Y	WASHINGTON LAKE King County unpublished data from station 0826OLA show a geometric mean of 43 cfu/100mL with 21% exceeding the percentile criterion during 2000. King County unpublished data from station 0826OLA show a geometric mean of 48 cfu/100mL with 25% exceeding the percentile criterion during 2001. King County unpublished data from station 0826OLA show a geometric mean of 31 cfu/100mL with 12% exceeding the percentile criterion during 2002. King County unpublished data from station 0826SB show a geometric mean of 24 cfu/100mL with 16% exceeding the percentile criterion during 1998. King County unpublished data from station 0826SB show a geometric mean of 32 cfu/100mL with 20% exceeding the percentile criterion during 1999. King County unpublished data from station 0826SB show a geometric mean of 39 cfu/100mL with 14% exceeding the percentile criterion during 2000. King County unpublished data from station 0826SB show a geometric mean of 36 cfu/100mL with 26% exceeding the percentile criterion during 2001. King County unpublished data from station 0826SB show a geometric mean of 12 cfu/100mL with 12% exceeding the percentile criterion during 2002.	213HVK	47122G2I4	47.685	122.245	Fecal Coliform		Water
8	12193	5	Y	WASHINGTON LAKE King County unpublished data from station 0828SB show a geometric mean of 220 cfu/100mL with 53% exceeding the percentile criterion during 1998. King County unpublished data from station 0828SB show a geometric mean of 82 cfu/100mL with 35% exceeding the percentile criterion during 1999. King County unpublished data from station 0828SB show a geometric mean of 94 cfu/100mL with 56% exceeding the percentile criterion during 2000. King County unpublished data from station 0828SB show a geometric mean of 31 cfu/100mL with 20% exceeding the percentile criterion during 2001. King County unpublished data from station 0828SB show a geometric mean of 105 cfu/100mL with 50% exceeding the percentile criterion during 2002.	213HVK	47122F2A0	47.505	122.205	Fecal Coliform		Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information				Parameter	Medium	Remarks
8	12195	5	Y	WASHINGTON LAKE	213HVK	47122F2B1	47.515	122.215	Fecal Coliform	Water	
King County unpublished data from station 831 show a geometric mean of 13 cfu/100mL with 18% exceeding the percentile criterion during 1998.											Listed as Grid Cell 47122F2I6 on 1998 list. -kk
King County unpublished data from station 831 show a geometric mean of 13 cfu/100mL with 12% exceeding the percentile criterion during 1999.											
King County unpublished data from station 831 show a geometric mean of 4 cfu/100mL with 0% exceeding the percentile criterion during 2000.											
King County unpublished data from station 831 show a geometric mean of 6 cfu/100mL with 0% exceeding the percentile criterion during 2001.											
King County unpublished data from station 831 show a geometric mean of 5 cfu/100mL with 0% exceeding the percentile criterion during 2002.											
8	12198	5	Y	WASHINGTON LAKE	213HVK	47122G2B0	47.615	122.205	Fecal Coliform	Water	
King County unpublished data from station 0834SB show a geometric mean of 466 cfu/100mL with 90% exceeding the percentile criterion during 1998.											Listed as Grid Cell 47122G2B1 on 1998 list. -kk
King County unpublished data from station 0834SB show a geometric mean of 244 cfu/100mL with 67% exceeding the percentile criterion during 1999.											
King County unpublished data from station 0834SB show a geometric mean of 109 cfu/100mL with 50% exceeding the percentile criterion during 2000.											
King County unpublished data from station 0834SB show a geometric mean of 103 cfu/100mL with 50% exceeding the percentile criterion during 2001.											
8	12199	5	N	WASHINGTON LAKE	213HVK	47122F1G9	47.565	122.195	Fecal Coliform	Water	
King County unpublished data from station 083930SB show a geometric mean of 35 cfu/100mL with 21% exceeding the percentile criterion during 1998.											
King County unpublished data from station 083930SB show a geometric mean of 43 cfu/100mL with 35% exceeding the percentile criterion during 1999.											
King County unpublished data from station 083930SB show a geometric mean of 42 cfu/100mL with 26% exceeding the percentile criterion during 2000.											
King County unpublished data from station 083930SB show a geometric mean of 38 cfu/100mL with 11% exceeding the percentile criterion during 2001.											
King County unpublished data from station 083930SB show a geometric mean of 32 cfu/100mL with 12% exceeding the percentile criterion during 2002.											
8	12202	5	N	WASHINGTON LAKE	213HVK	47122G2B3	47.615	122.235	Fecal Coliform	Water	
King County unpublished data from station 0860SB show a geometric mean of 121 cfu/100mL with 47% exceeding the percentile criterion during 1998. King County unpublished data from station 0860SB show a geometric mean of 54 cfu/100mL with 24% exceeding the percentile criterion during 1999. King County unpublished data from station 0860SB show a geometric mean of 87 cfu/100mL with 46% exceeding the percentile criterion during 2000. King County unpublished data from station 0860SB show a geometric mean of 89 cfu/100mL with 36% exceeding the percentile criterion during 2001. King County unpublished data from station 0860SB show a geometric mean of 23 cfu/100mL with 9% exceeding the percentile criterion during 2002. King County unpublished data from station 0852SB show a geometric mean of 21 cfu/100mL with 18% exceeding the percentile criterion during 2002.											

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information				Parameter	Remarks	Medium
8	12204	5	Y	WASHINGTON LAKE King County unpublished data from station 4903 show a geometric mean of 34 cfu/100mL with 17% exceeding the percentile criterion during 1998. King County unpublished data from station 4903 show a geometric mean of 49 cfu/100mL with 33% exceeding the percentile criterion during 1999. King County unpublished data from station 4903 show a geometric mean of 22 cfu/100mL with 8% exceeding the percentile criterion during 2000. King County unpublished data from station 4903 show a geometric mean of 35 cfu/100mL with 25% exceeding the percentile criterion during 2001. King County unpublished data from station 4903 show a geometric mean of 37 cfu/100mL with 29% exceeding the percentile criterion during 2002.	213HVK	47122F2C6	47.525	122.265	Fecal Coliform		Water
8	12205	5	Y	WASHINGTON LAKE King County unpublished data from station 4903SB show a geometric mean of 43 cfu/100mL with 16% exceeding the percentile criterion during 1998. King County unpublished data from station 4903SB show a geometric mean of 25 cfu/100mL with 30% exceeding the percentile criterion during 1999. King County unpublished data from station 4903SB show a geometric mean of 17 cfu/100mL with 15% exceeding the percentile criterion during 2000. King County unpublished data from station 4903SB show a geometric mean of 62 cfu/100mL with 10% exceeding the percentile criterion during 2001. King County unpublished data from station 4903SB show a geometric mean of 56 cfu/100mL with 42% exceeding the percentile criterion during 2002.	213HVK	47122F2D6	47.535	122.265	Fecal Coliform		Water
8	12206	5	Y	WASHINGTON LAKE King County unpublished data from station A422SB show a geometric mean of 74 cfu/100mL with 45% exceeding the percentile criterion during 1998. King County unpublished data from station A422SB show a geometric mean of 23 cfu/100mL with 0% exceeding the percentile criterion during 1999.	213HVK	47122G2H0	47.675	122.205	Fecal Coliform		Water
8	12208	5	N	WASHINGTON LAKE King County unpublished data from station SD017SB show a geometric mean of 16 cfu/100mL with 5% exceeding the percentile criterion during 1998. King County unpublished data from station SD017SB show a geometric mean of 12 cfu/100mL with 0% exceeding the percentile criterion during 1999. King County unpublished data from station SD017SB show a geometric mean of 51 cfu/100mL with 26% exceeding the percentile criterion during 2000. King County unpublished data from station SD017SB show a geometric mean of 22 cfu/100mL with 0% exceeding the percentile criterion during 2001. King County unpublished data from station SD017SB show a geometric mean of 4 cfu/100mL with 0% exceeding the percentile criterion during 2002.	213HVK	47122F2I2	47.585	122.225	Fecal Coliform		Water
8	43482	5	N	WASHINGTON LAKE Seiders, 2004 shows fillet samples of largemouth bass collected in 2003 exceeded the National Toxics Rule criterion for Total PCBs	213HVK	47122H2E6	47.745	122.265	Total PCBs		Tissue
8	36162	5	N	WEAVER (WOODIN) CREEK City of Woodinville unpublished data show the geometric mean of 673 cfu/100mL from 2 samples collected in 2000 at NE 171st Street. City of Woodinville unpublished data show the geometric mean of 212 cfu/100mL from 8 samples collected in 2001 at NE 171st Street. City of Woodinville unpublished data show the geometric mean of 800 cfu/100mL from 1 samples collected in 2002 at NE 171st Street.	GT43DP	0	26N	05E	09	Fecal Coliform	Water
8	42119	5	N	WILLOWS CREEK City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 10 (Willows Creek @ Willows Rd) shows multiple excursions beyond the criterion for continuous monitoring data collected between 4/2002 - 11/2002.	VL36DA	0.16	25N	05E	03	Dissolved oxygen	Water

WRIA	Listing ID	Category	98 List?	Waterbody Name Basis	Location Information					Parameter	Remarks	Medium
8	42124	5	N	WILLOWS CREEK City of Redmond (data submitted by Daren Baysinger on 4/24/04), station 10 (Willows Creek @ Willows Rd) shows quarterly samples exceeded the percentile criterion in years 2001, and 2003.	VL36DA	0.16	25N	05E	03	Fecal Coliform		Water
8	15795	5	N	YARROW BAY CREEK King County unpublished data from station A499 (Yarrow Bay Tributary WDF# 08.0252 at RM 0.1) show excursions beyond the criterion in 1993, 1994, and 1996.	IE91MG	3.175	25N	05E	17	Dissolved oxygen		Water
8	15796	5	Y	YARROW BAY CREEK King County unpublished data from station A499 (Yarrow Bay Tributary WDF# 08.0252 at RM 0.1) show the geometric mean criterion was exceeded in 1990.	IE91MG	3.175	25N	05E	17	Fecal Coliform	WASWIS was listed as IE91MG on 1998 list. -kk	Water